+ a b e a u®

How (Not) to Build Your SEO Strategy: 10 Tricks Your Consultant Won't Tell You

AUTHOR Niels Hoven *Marketing Analyst* Tableau Software

> DATE 2/18/2009

The foundation of a good search engine optimization (SEO) strategy is a well thought out keyword strategy. Unlike the instant gratification of pay-per-click advertising, organic search efforts often take six months or more to show results. During those six months, a business will be creating mountains of content and building targeted links, all focused on 5-10 specific keyword phrases. For a business that targeted the wrong phrase – perhaps it was too competitive, or there wasn't enough traffic, or the traffic didn't convert – the wrong keyword strategy will have cost thousands of hours in wasted effort.

A thorough analysis can easily take several days and require hundreds of dollars worth of analysis tools. Hiring a specialist who knows how to use them costs even more. We explain how to use data visualization to get it done in a few hours and for just a couple bucks.

1) Get the Tools

A wide range of factors come into play when evaluating keywords' potential for SEO. Of these, the most important are search volume, conversion rates, competitiveness, and relevancy to a site. With endless rows and columns of keyword data, the intuition required to balance these factors is a blend of art and skill that can only be developed with time.

However, data visualization makes it possible to do the same thing cheaply. The human brain can process pictures much more effectively than tables of numbers. By incorporating different parameters into different dimensions of a visualization, a huge list of keywords can be quickly scanned and the phrases worth pursuing easily selected. In this paper, a number of free tools are used to collect the necessary data, build visualizations, deliver actionable insights, and set benchmarks.

- Microsoft adCenter Add-in Beta for Excel (free)
- Tableau Desktop Trial (free)
- Google AdWords Keyword Tool (free)
- Google AdWords Traffic Estimator (free)
- SEO Chat Keyword Difficulty Check (free)
- Wordze 1-Day Trial (\$7.95, optional)
- SEO for Firefox (free)
- SEObook Rank Checker (free)

2) Get the Lay of the Land

Consider a hypothetical website, ImaginaryCreatures.com, that wants to develop a keyword strategy for organic (unpaid) search. The marketing department knows that, compared to traffic from paid search advertisements like Google AdWords, organic traffic converts well, clicks through at a higher rate, and views search results as more trustworthy.

The foundation of a good search engine optimization (SEO) strategy is a well thought out keyword strategy. Unlike the instant gratification of pay-per-click advertising, organic search efforts often take six months or more to show results. Marketing wants to drive more unpaid traffic to their website, but doesn't know where to begin. They can't afford to pay an expensive consultant to build out a keyword strategy. Data visualization can help them accomplish their goals cheaply.

We begin by exploring the competitive space. We wish to understand which broad keyword categories are worth competing in. Our goal is just a high level overview for now – we'll do a deep dive a bit later.

Imaginary Creatures provides a list of the main websites in their space, which are then added to an Excel spreadsheet. We perform a few related searches and add the top results to the spreadsheet as well. The Keyword Extractor from Microsoft's Ad Intelligence Add-In now saves hours of effort. It scrapes the (potentially hundreds of) webpages in the spreadsheet and identifies what words they're optimized for. Why go through all the bother of figuring out the best keyword categories when competitors have already done it?

The Keyword Extractor tool lists hundreds of keyword ideas, some of them relevant, some of them not. But looking through the list, three main categories stand out: "bigfoot", "dragons", and "unicorns". Our keyword ideas are divided into these three categories and the ones that don't fit are thrown out.

3) Even More Potential Keywords

Google AdWords Keyword Tool is a powerful resource to expand a list of keywords. The Keyword Tool generates a huge list of related keywords, ranging from high volume generic terms ("bigfoot") to low volume niche phrases ("memorial day bigfoot video"). The longer the list of initial seed keywords, the longer the list of suggestions Google provides. Since we'll be using data visualization to quickly sift through this data, a huge list of keywords is no problem at all.

Keywords	Advertiser Competition ②	Approx Search Volume: January ②	Approx Avg Search Volume ②	Match Type Broad	e: (?)
Keywords related to	term(s) entered - sor	ted by relevance 🕐			
bigfoot sightings		33,100	40,500	Add	×
bigfoot		1,000,000	1,500,000	Add	÷
pictures of bigfoot		3,600	5,400	Add	×
bigfoot sighting		6,600	9,900	Add	÷
sasquatch bigfoot		12,100	9,900	Add	÷
bigfoot videos		6,600	9,900	Add	8

Figure 2: Keyword Tool expands your list of potential keywords and provides the search volume for each phrase.



Figure 1: Microsoft Ad Intelligence scrapes your competitor's webpages for the keywords you should be targeting.

4) Keyword Data Point #1: Search Volume

Not only does the Keyword Tool generate a huge list of new keyword phrases to consider, it provides the monthly search volume ("Approx Avg Search Volume") for each of those phrases. Being ranked #1 on Google for "nigritude ultramarine" does no good if no one is searching for that phrase. Checking the search volume of the target phrases early ensures that time isn't wasted later in the process. The data is exported to a CSV file and added to a spreadsheet for analysis in step 7.

5) Keyword Data Point #2: Value

After using the Keyword Tool to build a long list of potential keywords in each of the initial three categories ("bigfoot", "dragons", and "unicorns"), the list is fed into Google AdWords Traffic Estimator. Traffic Estimator provides the estimated cost per day for each keyword, which can be used as a rough approximation for its value.

Because different searchers have different goals, some search phrases are simply more valuable than others (e.g. "buy digital camera" vs. "free digital camera"). In general, though, intuition and common sense are inadequate tools for estimating how much a keyword is worth. A phrase's value depends on

Keywords v	<u>Search</u> Volume	Estimated Avg. <u>CPC</u>	Estimated Ad Positions	Estimated Clicks / Day	Estimated Cost / Day
Search Network Total		\$0.40 - \$0.56	1 - 3	122 - 154	\$50 - \$90
bigfoot		\$0.37 - \$0.53	1 - 3	106 - 134	\$40 - \$80
bigfoot com		\$0.44 - \$0.57	1 - 3	3 - 4	\$2 - \$3
bigfoot footage		\$1.52 - \$1.92	1 - 3	0	\$1
bigfoot pictures		\$0.33 - \$0.54	1 - 3	3	\$1 - \$2
bigfoot sighting		\$0.00 - \$0.40	1 - 3	0	\$0 - \$1
bigfoot sightings		\$0.73 - \$1.10	1 - 3	1	\$1
bigfoot truck		\$0.65 - \$0.85	1 - 3	4 - 6	\$3 - \$6

many factors: the number of searchers, the rate at which they convert, the average size of their orders, even the average margin on the items they purchase. Because Google AdWords represents a reasonably efficient market, it can be assumed that all this information is already encapsulated in the daily cost of advertising on a particular keyword. Using the Cost/Day data from the AdWords Traffic Estimator allows keywords to be recognized if they convert particularly well, even despite lower search volumes.

6) Keyword Data Point #3: Competitiveness

Wordze is an online keyword analysis tool that accepts a list of keywords and returns a measure of competitiveness for each phrase. There are plenty of alternative tools available and for our purposes they are mostly interchangeable – we're just looking for a rough measure of each keyword's competitiveness and performance. We chose Wordze because it's cheap (\$7.95 for a one-day trial) and because it allows keywords to be cut and pasted in bulk.

Wordze's Keyword Effectiveness Index (KEI) attempts to weigh the competitiveness of a keyword against its traffic potential, so it aggregates a lot of the numbers that have already been collected. For many people, that's a good thing – choosing the right keyword strategy requires balancing so many factors that an arbitrary weighting and aggregation of the factors is sometimes the only way to reach a decisions.

Figure 3: Traffic Estimator's Estimated Cost / Day indicates how well a phrase will convert. However, we will be using Tableau Desktop, a data visualization package that makes it easy to perform analysis across multiple dimensions. For us,

aggregation is bad – we would prefer transparency so that we could use the underlying data and do the analysis ourselves. So we'll just use KEI as a quick first-round screen to make sure we don't miss any high-potential keywords.

The first task is to pare down the current list of several hundred keywords. Here's a screenshot of the data in Excel. The goal is to identify keyword phrases that have a balance of high traffic, high value, low competition, and high relevance to Imaginary Creatures' website. But finding these high potential keywords amidst endless rows and columns of numbers is an extremely time-intensive process

7) Narrow the List of Potential Keywords

Fortunately, this is where Tableau excels. In five or six clicks, we built this visualization of all the terms in our

ACS1 <th< th=""><th>X</th><th>Calibri - 11</th><th></th><th></th><th>(10-1)</th><th>Wrap Test</th><th>Genera</th><th></th><th></th><th>180</th><th>1996</th><th></th><th>Par 13</th><th>1775 E -</th><th>AT 4</th><th>6</th></th<>	X	Calibri - 11			(10-1)	Wrap Test	Genera			180	1996		Par 13	1775 E -	AT 4	6
Fort Fort Fort Fort Fort Fort C The second	- 4									125	- 10	-	. .	- ي التي	Zi u	
Priori C Jagenetit F Institut S Diplet Cells Methy AC81 C D L L L L L L M D P Sequencia Diffucting 2008 L2 dor Alexance Cost MS Sequencia Diffucting 2008 L2 dor Alexance Cost MS Sequencia Methy Sequencia Se	Paste	8 / U · ·	> ∆ ·		律律	Merge & Center *	5 -	16 . 1	24.23				Insert Delete	Format Q+		
AGB C D I	about 5	Fort	5		Lignmen			Number	G			- Alfen	Cells			
A B C D K P M L L M O P regions OPECUNY 2006 12/01 Absentions Captornes to part 0000 10000000000000000000000000000000	and the second second															-
travests Diffury <	ACOL							-			-					-
Deptent me Lengtent spannings PA 48 Single Constraints	En andre															
big for dam			Drestorty	2009-12-10												
upper set spinnes 19.48 13. 1.4400 13.4400																
orgeners 1 1 15000 1520 178 2 212 5120 178 0 register Underst privates 1 0.6500 45407 3547 547 39 12 54200 158 0.65 private Underst privates 0.66 2202 15875 5127 2 2 5120 158 0 register Underst privates 0.66 2200 15875 5221 3 3 5560 10 0 register Underst privates 0.53 31500 11646 1400 5105 5155 5 4 5200 17 0 register Underst privates 0.3 1 14400 4444 3105 5155 5 4 5200 17 0 register Underst privates 0.73 11200 9707 5125 515 5 5 5500 18 0 register Underst privates 0.8 1000 1200 970			74.05		-											
spin to shoos i 9500 94007 9407 947 10 12 14 9500 13 0.55 spinot big too phoos 0.66 2200 1587 54.7 52.7 12 14 9500 158 0.51 spinot big too torge 0.66 2200 1587 52.1 3 4 55.0 10 0 spinot big too torge 0.53 3500 1500 51.8 52.0 15 0 spinot rem spinot 0.53 3500 14400 8440 51.8 2 3 55.00 7 9 spinot segtest spinot 0.53 12000 14400 8440 84.8 2 2 55.00 7 9 spinot segtest spinot 0.53 12000 84.00 51.0 9 spinot 9 spinot segtest spinot 0.53 12000 144.0 84.8 2 2 52.00 13 63.0 9 spinot segtest spinot <td></td> <td></td> <td>14.80</td> <td>424</td> <td></td>			14.80	424												
unpertore 1 64500 4547 84.4 99.2 12 4 55.00 159 0.159 epitor begins phone 0.66 2220 257.01 22.2 3 4 52.00 150 0.199 epitor begins phone 0.53 32200 357.01 22.2 3 4 52.00 150 0.199 epitor res begins 0.53 32200 151.7 22.8 3 4 52.00 10 0.9 upitor begins phone 0.53 32200 151.7 2.8 4.65.0 12 3 4.50.0 10 0.9 upitor begins phone 0.3 32200 751.0 3.8 5.85.0 10 0.9 upitor begins phone 0.73 12200 797.7 5.85.0 1 1 5.85.0 1 0.9 upitor begins phone 0.8 0.90 5.81.2 2.8 2.8.00 1 0.9 upitor begins phone 0.8 0.90 5.8.1.2 1.8																
Deptend primode D.6.6 2.2200 2.5872 6.4.2 3.3.4 2.2 5.7.00 1.8.0 0.9 reprint Deptend travin D.8.6 2.2200 1.585 1.7.7 2.2.2 3.4 5.800 1.0 0.9 reprint Deptend travin D.5.5 2.2200 1.515 2.2.5 3.5 5.800 1.0 0.9 reprint Crew traptort D.5.6 0.4.0 0.440 9.440 9.81.05 3.8.7 2.4 2.5.00 7.6 4.70 metrint Deptend training D.6.6 0.400 9.440 9.44.0 9.82.0 2.2 2.5.00 7.6 0.2.0 metrint Distort training D.6.6 0.400 9.44.0 9.84.0 9.1.0 9.2.0 9.6 0.2.0 9.6.0 9.2.0 9.7.0 9.2.00 9.0.0 9.2.0 9.2.0 9.0.0 9.2.0 9.2.0 9.0.0 9.2.0 9.0.0 9.0.0 9.0.0 9.0.0 9.0.0 9.0.0 9.0.0 9.0.0 9.0.0 9.0					-											
spinor 6.8 7.700 1000 9.210 9.22 9.2 9.4 5.00 10 0.98000 the befort 0.53 22200 214 <td></td>																
operation 0.53 91000 9466 21.4 21.7 9 5000 8 0 maybor 1 me barghort 1.1 14800 94.0 33.0 33.7 3 4 20.0 15.7 22.0 55.0 1.0 0 maybord 1 messare barbort 95.6 6.4 0.4 0.40 94.0 33.0 33.7 2 2.50.0 1.0 0 maybord 1 messare barbort 90.0 94.16 94.4 94.8 31.20 2.2 2.50.0 38 0.22 parbort 0 memore barbort 0.6 90.0 94.12 2.52 2.2 2.50.0 38 0.22 parbort 0 memore barbort 0.8 120.0 790.7 31.00 38.8 1 1 5.00 0.9 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00																
a in elegion 0.3 2200 5137 23.4 44.6 2 54.00 17 0 elefor in elefort whees 54.6 64 0.4 1400 54.00 33.5 2 2 55.00 7 477 97 is elefort whees 54.6 0.4 1400 84.4 53.0 33.5 2 2 55.00 7 477 97 477 97 477 97 97 57.00 77.2 57.20 57.25 2 57.00 7 477 97 97.00 57.55 53.85 1 1 52.00 7 97.00 97.00 57.55 53.85 1 1 52.00 7 97.00 97.00 55.00 7 97.00 97.00 1 1 55.00 7 97.00 97.00 97.00 1 1 55.00 7 97.00 97.00 97.00 1 1 55.00 7 97.00 97.00 97.00																
a metapolori 1 14800 9403 51.0 31.7 5 4 50.0 19 0 spinor c sequent signor 19.2 1 14800 94.4 94.8 91.0 12.0		2														
In Sector 94.60 64.0 0.40 84.40 53.60 33.85 2 2 55.00 7 447 paylor b register signing 0.46 9900 9416 52.26 2.2 55.00 8 0.25 paylor b register signing 0.73 12100 972.2 52.56 2.8 5.8 0.0 0.0 0.9 p cruss signing 0.73 12100 972.5 52.8 2.8 8.8 1.1 5.8.00 4.0 0.9																
is expense biglioof 1921 1 14400 844 944 942 2 2000 34 0.51 piglioor erwer biglioof 0.73 1200 940 52 212 52 22 52 2 50 50 10 0.22 piglioor erwer biglioof 0.73 1200 950 52 2 3 5 80 4 0.22 piglioor erwers of siglioor 0 1200 950 532 2 18 50 1 5 80 0 0.22 piglioor eighoot prino 0.8 1200 950 542 9 0.9 piglioor 0 9 piglioor 0 <			54.65	64							-					
0 9000 9416 202 32.4 2.9 5.00 8 0.02 9100 0 0.70 12100 9712 52.2 2.2.8 3.8 5 5.80 4 0 9100 0 12100 9717 12200 5916 5.82 2.8 3.8 1 1 5.80 4 0 91000 0 12100 5917 551.0 51.8 1 1 5.800 4 0 91000 0 0.950 5600 797 8.00 6070 54.4 58.8 2 2 5 500 1 0 91000 0 91000 1 1 55.00 1 0 91000 0 91000 91000 1 0 91000 1 0 91000 91000 91000 91000 91000 91000 91000 91000 91000 91000 91000 91000 910000 910000											3					
even befort 0.79 1200 9712 32.2 32.8 8 5 80.0 10 0 spletor explore reases of the plotor reases of the plotor reases of the plotor reases of the plotor reases of the plotor reases of the plotor reases of the plotor reases of the plotor reases			19.25		-											
0 0 1200 5906 53.20 58.66 0 1 5.00 4 0 splicor 0 splicor sensition 0.8 12000 75.07 85.00 75.10 53.84 1 1 5.000 5.00 0 splicor 0 splicor spring 0.95 65.00 77.7 85.00 76.07 55.14 1 1 5.500 15 0 splicor 10 splicor real 0.95 65.00 77.12 64.6 9000 55.12 2 3 55.00 15 0 splicor 0 splicor real 0.95 66.00 97.01 2.1 55.00 2.9 0 splicor 0 splicor reparkation 52.11 0.8 66.00 97.22 2.8 1<1																
In photo research 0.8 12000 7107 53.00 13.88 1 1 5.00 9 photo research In photo raise 0.9 0.79 0.90 54.4 9.8.2 2 2 0.500 0.9 0.90 0.9 </td <td></td>																
entroping 53.02 99 0.79 85.00 64.07 84.84 24.2 25.000 13 0 region La brightor real 75.71 0.6 9900 55.11.7 57.14 1 1 0.500 7 0 region La brightor real 75.71 0.6 9900 55.12 57.44 1 1 0.500 7 0 region brightor real 0.99 6400 45.43 0.74.12 57.22 2 5.500 2.9 0 region brightor real 0.8 6400 97.13 52.23 1 1 55.00 2.9 0 region brightor regenization 52.11 0.8 6400 2024 22.6 53.5 1 1 55.00 2.9 0 region brightor regenization 0.53 4400 22.02 53.5 1 1 53.00 2 0 region brightor reservin regenization 0.88 4400 22.05 2.5 1																
Beylson prior 0.00 5400 727 0.00 727			53.00													
La begroot rele 77.71 6.6 9000 512 6.1 53.8 1 2 53.00 9 0 begroot begroot rele 0.9 0.99 55.2 2.5 5.55.00 16 0 segroot relevance begroot relevance 0.9 6600 51.8 7.8 8 5.50.0 2.9 5.55.00 2.9 0 segroot relevance begroot relevance begroo			20.04	77												
1 0 0.9 900 5412 4.70 0.9 2.0 0.9 0.9 5412 4.70 0.9 2.00 1.8 0.9 <td></td> <td></td> <td>78.75</td> <td></td>			78.75													
b 0.9 6600 4166 67.8 97.8 9 5000 29 0.99 0.99 b cyboxbe big/dot 0.8 5000 \$77.8 9.8 \$50.00 29 0.05 big/dot b cyboxbe big/dot 0.8 6600 \$812 \$12.4 \$15.5 1 1 \$20.00 19 0.05 big/dot b cyboxbe big/dot 0.55 4.400 \$22.4 \$12.5 1 1 \$20.00 2.45 big/dot b cyboxbe big/dot 0.8 4.400 \$22.45 \$12.5 1 1 \$2.00 2 0 \$10000 b cyboxt may 0.8 4.400 \$22.45 \$2.57 1 2 \$4.00 \$0.9 </td <td></td> <td></td> <td>12.7.</td> <td></td>			12.7.													
example 0.8 5400 3973 3.1.8 3.2.2 1 1 53.00 2 0.55 big events region 0.51 0.8 5400 32.21 51.5.6 1 1 55.00 1.6 0.51 big 0.5				97												
Seleptor organization 52.11 0.8 6600 50.2 51.3.6 1 50.00 19 0.15 period reptor organization 0.51 0.65 2.04 2.52.4 2.55.5 1 1 50.00 36 0.0 0.10 0.10 0.0																
events splori 0.8 4400 2423 23.4 13.5 1 1 53.00 8 0 splorize registor 0.6 2400 2447 75.9 8.47 4 4 55.00 54.0 52.00 54.0 55.00 54.00 55.00 54.00 55.00 50.00 <t< td=""><td></td><td></td><td>63.55</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>			63.55													
1 0			26.11													
encrease 0.28 2400 2447 53.00 64.80 0 53.00 2 0.98/prior engines research encounters 1 2600 2447 53.00 1.2 53.00 2 0.98/prior engines research encounters 1 2600 23.91 2.24 33.00 1 2.80.00 5 0.98/prior engines research encounters 0.53 3600 254.8 32.94 1.2 53.00 6 4.48 prior engines research encounters 0.53 3600 254.8 32.44 31.44 1 2 54.00 6 4.48 prior engines reprior 0.53 3600 254.5 32.14 0 0 50.00 1 0.91/prior engines reprior 0.4 4600 24.51 31.41 0 0 50.00 1 0.91/prior engines reprior 0.4 4600 24.91 51.81 52.10 0 50.00 1 0.9																
e gebox research organization B.8 4400 2017 54.39 55.46 1 2 56.00 9 0.55 perform 10 option mounde 0.53 5000 2207 52.45 52.57 1 2 58.00 5 0 bit or mounde 0 option mounde 0.53 5000 2207 52.45 52.77 1 2 58.00 6 0.51 bit or mounde 0 option from watch 0.53 5000 2207 52.42 2.18 53.40 0 0.55.00 6 0.51 bit or mounde 0 eption from watch 0.53 5000 284.175 52.12 0 0 55.00 6 0.51 bit or mounde 0 eption from watch 0.54 4400 247.57 57.27 0 0 55.00 1 0.52 bit or mounde 0 eption from mound 0.6 5800 2000 2705 53.81 6.20 0 53.00 1 2 0 0 53.00 1 2 0																
a person encounters 1 2000 2001 2001 2101 2100 5 0 period c period movie 0.50 2000 2104 51.00 1 1 52.00 5 0 period c period movie 0.50 2000 21.06 52.44 53.00 1 1 52.00 6 4.66 period 0.51																
a general monie 0.53 5000 2207 22.44 5109 1 1 52.00 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 5 0.01 0.01 5 0.01 0.01 5 0.01 0.01 5 0.01 0.																
c people sploot 0.99 Mode 21.96 53.44 1 2 54.00 6 4.66 sploot c people of books 0.53 3600 52.86 52.86 52.86 52.96 52.86 0 52.96 52.26 52.22 2 3 55.00 6 4.66 sploot 0.51 sploot forward 0 52.96 52.82 52.85 52.82 2 3 55.00 10 0.51.00 10 0.52.00 10 0.52.00 10 0.52.00 10 0.52.00 10 0.52.00 10 0.52.00 10 0.52.00 10 0.52.00 10 0.52.00 10 0.914004 0 petport splines 0.6 3000 25.85 55.85 55.85 10 0 52.00 10 0.914004 0 petport splines 0.55 2000 2700 55.85 55.85 10 0 52.00 4 0.914004 0 petport splines 0.55 2000 2705																
a globor ton-seved 0.53 5000 548 52.8 2.12 2.1 5.8.00 8 0.61 9.9100000 texte burfoort 0.75 5500 26.81 52.81 0 0 55.00 2.0 0 9.910000 texte burfoort 0.8 4400 2437 52.81 0 0 55.00 2.0 0 9.910000 texte burfoort 0.8 3400 2737 39.21 0 0 55.00 1 2.9100000 textport strained 0.8 3600 2470 54.81 52.00 0 55.00 1 2.9100000 textport strained 0.8 3600 2705 55.81 1 1 55.00 1 2.9100000 textport strained 0.8 3600 2705 55.48 6.4.0 0 9.9100000 0 55.00 1 2.91000000000000000000000000000000000000																
explorer 0.79 5600 2462 3.73 52.18 0 5.00 2 0.98800 explorer provine 0.8 2460 2451 51.51 52.28 0 0 53.00 2 0.98800 explorer provine 0.8 2460 24710 57.37 93.21 0 0 53.00 2 0.92800 explorer straines 0.8 2460 2770 57.37 93.21 0 0 53.00 1 2.94800 explorer straines 0.8 2400 2770 57.81 15.81 12.0 0 9.300 1 2.94800 explorer straines 0.8 2400 12705 55.41 54.71 0 0 53.00 4 0.94800 explorer straines 0.8 2400 12705 55.41 54.27 1 1 53.00 4 0.94800 explorer straines 0.55 2400 12805 54.25 1 1											-					
epison proof 0.4 4.400 2437 5.41 2.52 0 0 5.00 1 0.42 0.400 reptor time 0.8 2000 277 7377 7377 <td></td>																
epison imm 0.8 2400 2770 73.7 93.2 0 0 5.00 2 0 spiror epison imm 0.6 5600 5670 57.81 12.0 0 53.00 1 2 spiror epison imm 0.6 5000 54.11 55.9 0 53.00 1 2 spiror epison imm 0.8 2000 2700 54.11 55.9 0 53.00 4 0 spiror c marks spiron 0.75 5600 54.9 54.21 1 1 53.00 4 0 spiron c prison file 0.55 5600 14.05 54.25 51.21 0 0 53.00 4 0 spiron c prison file 0.53 2000 14.05 54.25 51.20 0 0 53.00 4 0 spiron c prison file 0.33 2000 14.05 52.25 51.20 0 0 53.00 4 0 spiron <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td>-</td><td></td><td></td><td></td><td></td><td></td></td<>										-	-					
Perform Stream DS SM00 SM17 SL81 SL20 O SL00 SL00 L 2 begins perform Stream DB SM00 2000 SL10 SL20 O SL00 L 2 begins perform Stream DB SL00 2000 2000 SL10 SL10 SL00 A Object perform Stream DT 2 begins SL20 SL20 SL20 SL20 SL20 SL20 SL20 A Object O SL20 SL2																
I egitors thories 0.8 2000 2100 6.4.1 5.5.9 0.4.0 5.5.0 8 0.9.1 c mache signor 0.72 5.000 17.0 5.5.9 8.4.7 0 0.5.00 4.4.1 0.9.1											-					
egistor 4 44.07 112 0 2000 2796 55.46 54.7 0 0 51.00 4 0 egistor explored reset 0.73 5000 55.45 54.24 1 1 53.00 4 0 egistor explored reset 0.53 2000 53.05 54.25 54.24 1 1 53.00 2 0 egistor 0 0 -1 355.00 64.65 55.97 0 53.00 4 0 egistor 0 1 0.07 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0</td><td></td><td></td><td></td><td></td><td></td></td<>											0					
0 and/of support 0.79 5500 2145 53.42 54.28 1 1 53.00 4 0 support beginstring 0.55 2000 1200 54.05 55.70 0 55.00 2 0 support beginstring 0.55 2000 1200 1200 1200 0 0 support 0.51 200 1200 <td< td=""><td></td><td></td><td>44.07</td><td>112</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>			44.07	112												
Implement 0.53 2400 55.57 0 0 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 60.07 52.07 52.07 52.07 52.07 52.07 <t< td=""><td></td><td>toot</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td>1</td><td></td><td></td><td></td><td></td><td></td></t<>		toot								1	1					
Deptor foot 60 0 -1 1865 no data no											0					
Deptent frames 0.33 1900 3444 512.35 0 5 4 0 support 0 support frames 0 -1 5174 0.4844 512.35 0.6 53.00 4 0 support 0 support fraid 0.8 2400 1742 6444 6437 0.1 510.00 4 0 support 0 support fraid 0.35 2400 1742 6444 64.37 0.1 53.00 4 0 support 0 support fraid 0.35 2400 1288 52.71 53.38 0 0 52.00 2 0 support 0 support fraid 0.3 0.400 25.35 53.55 54.84 0 1 52.00 2 0 support 0 support fraid 0.350 0.400 25.00 1.44 0.43 53.85 1 1 52.00 5 0 support 0 support support support 0.800 58.000 14.94 54.30 56.38 0 53.000 6			69.76										PVALUE?			
Deptent 1 0 -1 201% no data no			-11.14													
episor finis 0.8 2400 1742 6.44 6.21 0.53 26.00 bightort finition 0.35 2400 1284 6.41 6.12 5.00 2 0.1 53.00 2 0.21 53.80 0 1 53.00 2 0.21 53.80 0 1 52.00 2 0.10 0													PVALUE?			
Deptot family 0.35 2400 1288 52.71 53.88 0 53.00 2 0 epitot Deptot fox instary 0 38.00 1288 52.71 53.88 0 1 52.00 4 0 epitot Deptot fox instary 0 5800 1287 53.38 1 1 52.00 4 0 epitot Deptot family 0 5800 1287 53.38 1 1 52.00 4 0 epitot Deptot fame 0.6 12600 141.43.430 55.84 0 0 52.00 4 0 spitot symmaps of beftort 4.53 0.6 1500 151.97 54.31 0 0 52.00 4 0 spitot		1									1		- interest			
Deptentions 66.5 312 0.4 2 addo 1289 55.70 54.82 0.1 15.50 4 0 sequence bightort history 0 36000 1877 52.32 53.35 1 1 52.00 3 0.11 bightort bightort history 0 36000 1877 52.32 53.35 1 1 52.00 3 0.11 bightort bightort parts 0.6 3600 1877 54.53 55.88 0 5.00 3 0.11 bightort bightort parts 0.6 3600 1970 54.51 56.41 0 52.00 4 0.9891004 bightort parts 0.46 3600 19.07 52.27 55.44 0 0 52.00 1 0.22 bightort																
Bughoot History 0 9600 1677 52.82 53.53 1 1 52.00 8 0 bighoot platter bighoot History 0.6 3600 1441 54.30 53.88 0 0 53.00 5 0.01 bighoot bighoot History 0.6 2600 1370 64.51 0.63.44 0 0 53.00 4 0 bighoot parmenses bightoot film 0.46 1500 1491 52.27 55.84 0 0 53.00 1 0.02 bightoot			44.4	124							1					
Ingthorage 05 3900 3141 54.30 55.88 0 5.800 3 0.81 56.30 36.32 <td></td> <td></td> <td>68.3</td> <td>454</td> <td></td>			68.3	454												
Symptomys of bigftoot 48.55 0.6 1800 1570 54.51 56.14 0 52.00 4 0 bigftoot 1 pamerson bigftoot film 0.46 1800 1439 52.27 53.58 0 52.00 1 0.02 bigftoot											-					
2 patterson bigfoot film 0.46 3400 3439 51.27 51.58 0 0 51.00 1 0.02 bigfoot			49.69							-						
			-0.50													
			75.22		0.75	4400	1579	\$2.60	53.25	0	0	\$3.00				

spreadsheet. The keywords are separated into their umbrella categories (bigfoot, dragons, unicorns) and within each category, ordered by Estimated Cost / Day. The length of the bar corresponds to the Avg Monthly Search Volume (we're using a logarithmic scale here, or else the highest trafficked words simply overwhelm the visualization), while the color is determined by the phrase's KEI.

Data visualization provides an alternative to struggling to make sense of hundreds of rows and columns of data. It takes only a minute or two to scroll

through the visualization and pick out the most valuable keywords (higher in the list) that have either high traffic (long bars) or good KEI's (green color)

Category	Keywords	
bigfoot	bigfoot.com bigfoot biofoot.news	bigfoot c bigfoot
	bigfoot sightings bigfoot pictures	bigfoot sightin bigfoot sightin
	bigfootvideo	bigfootvideo
	bigfoot 2 sasquatch bigfoot	bigfoot 2 sasquatch bigfoot

Additionally, look at all the green for the bigfoot category vs. the unicorn category (see visualizations of the long tail/lower value keywords, Appendices A and B). We already have a preliminary indication that Imaginary Creatures should focus their efforts on bigfoot rather than unicorns. That's an actionable insight that never would have been noticed with a table of numbers.

Figure 5: Visualizing the data provides actionable insight instantly by allowing multiple dimensions to be considered simultaneously.

8) Make the Final Keyword Selections

KEI was used as a rough measure of keyword competitiveness, mainly because there's a cheap tool to compute KEI for phrases in bulk. Now that the list of potential keywords has been narrowed, a tool like SEO Chat's Keyword Difficulty Check can be used to evaluate the competitiveness of each term by hand.

The last visualization is copied and the KEI measure replaced with the new Difficulty measure. We tell Tableau to ignore the keywords for which a difficulty score was not collected, and almost instantly we have a new visualization.

Examining only the bigfoot terms for now, it's clear that "bigfoot sightings" is the dominant phrase in search volume. The dark red color indicates the term is extremely competitive – Imaginary Creatures won't be ranking for it anytime soon. If the phrase "bigfoot sightings" is hidden temporarily, Tableau rescales the graph and new insights jump out.

"Bigfoot sightings" was too competitive, but there are some variants that look very promising. "Sighting of bigfoot", "sightings of bigfoot", "first bigfoot

	Top Keyword Contenders	
sasquatch bigfoot bigfoot organization bigfoot photo is bigfoot real bigfoot videos bigfoot reports bigfoot tv bigfoot 4 bigfoot 5 sighting of bigfoot sightings of bigfoot bigfoot dvd bigfoot information first bigfoot sightings bigfoot forum oklahoma bigfoot sightings picture of bigfoot bigfoot foot bigfoot foot bigfoot foot bigfoot foot bigfoot foot bigfoot foot bigfoot foot bigfoot info bigfoot sightings		bigfoot sightings
20K 40K 60K	80K 100K 120K 140K Avg Monthly Search Volume	160K 180K 200K

sighting", "new bigfoot sighting", "Oklahoma bigfoot sighting", and "recent bigfoot sighting" are all very nice shades of green. These phrases are closely related, so it will be easy to create plenty of quality content to target all of these phrases. And the best part is that all that effort will be building up relevant authority for an eventual run on the big-money phrase, "bigfoot sighting".


There's even a misspelling that looks interesting. "Bigfoot sitings" doesn't look competitive at all – one highly optimized page might net a few hundred extra visitors a month.

sightings" has high search volume but the dark red color indicates that it is far too competitive a term "Bigfoot organization" and "bigfoot photo" also stand out as highly trafficked, very valuable, but less competitive phrases. We make a mental note to evaluate

them more carefully later. When we get a chance, we use SEO for Firefox to examine the competitive landscape. The top few results on Google have fairly high pagerank and a lot of incoming links, but the results from #5-#10 are unimpressive.

Imaginary Creatures has a number of avid bloggers on staff, has a very active forum on their site, and hasn't done any SEO at all until now. They could be a contender in search so we keep both those phrases in mind.

In only a few hours, we have created a keyword strategy for the "bigfoot" category. The strategy identifies a nice set of niche keywords to attack for some immediate traffic, two somewhat



more competitive terms to shoot for in the medium term, and one dream phrase ("bigfoot sightings") that we'll be building SEO karma for with all the groundwork right now. The process can be repeated in just a few minutes for "dragons" and "unicorns", and Imaginary Creatures will have a solid foundation for their SEO strategy.

Extra Credit: One Final Check and Tracking Performance

9) Due Diligence

Before pulling the trigger on any new keyword strategy, the competitive landscape should be examined in detail. The Difficulty Check is a good estimate of how hard it will be to rank for a specific keyword phrase, but hard numbers are preferable.

SEO for Firefox integrates with Firefox and, when enabled, automatically inserts a table of useful information in Google's search results. For each of the target search phrases, SEO for Firefox displays the PageRank ("PR") and number of backlinks ("Y! Links") of the top search results. Comparing that to Imaginary Creature's PageRank and backlinks gives a rough idea of whether they have a realistic chance of ranking for their target keywords.

Examining the Google search results page for "oklahoma bigfoot sightings" reveals that the #3 result has no pagerank and only 22 incoming links. Imaginary Creatures will have an easy time ranking well for this term.

rigure 7: Keyword phrases with strong potential stand out when data is presented visually. Keywords are listed in order of value, with the length of the bar representing search volume and the color the amount of competition.

10) Set Metrics

No SEO strategy is complete without benchmarking. Where are we now vs. where do we want to be? SEObook's Rank Checker provides the current rank for a long list

OklahomaBigfoot.org

Our endeavor is to provide you with a comprehensive place to find information about **Bigfoot** in **Oklahoma**. Several Sasquatch **Sightings** are reported every year ... www.oklahomabigfoot.org/ - 5k - <u>Cached</u> - <u>Similar pages</u>

#3 (PR: 0] oogle Cache Date: ? | Traffic Value: ? | Age: ? | del. icio.us: ? | del. icio.us Page Bookmarks: ? | Diggs: ? | Digg's Popular Stories: ? | Stumbleupon: ? | Twitter: ? | Yl Links: 22 //Ledu Links: ? | Yl .gov Links: ? | Yl Page Links: ? | Yl .edu Page Links: ? | Technorati: ? | Alexa: ? | Compete.com Rank: ? | Compete.com Uniques: ? | Trends | Cached: <u>?</u> | dmoz: ? | Bloglines: <u>? | Page blog links: ? | dir.vahoo.com</u>: <u>? | Bobw: ? | Whois | Sktool | Yahoo position: ? | Majestic</u> SED linkdomain: ? of keywords. In seconds, the data can be exported to Excel and added to a visualization.

For visualization purposes, 1/rank is a preferable metric to rank itself. Using 1/rank means that longer bars are better,

Figure 8: A PageRank of 0 and only 22 backlinks indicate that this will be an easy term to rank for. corresponding with natural intuition. Furthermore, it magnifies the difference between, say, a #3 and a #4 ranking term vs. a #103 and a #104 term. This is desirable because clicks on search engine results pages exhibit the same distribution.

Target Keywords: Search	Volume and Current Rank							
unicorns	unicorns							
the unicorns	the unicorns							
are unicorns real	are unicorns real							
horses unicoms	horses unicoms							
invisible pink unicom	invisible pink unicom							
unicorns lyrics	unicorns lyrics							
unicorns of balinor	unicorns of balinor							
cold war unicorns	cold war unicorns							
i love unicorns	i love unicorns							
into the land of unicorns	into the land of unicorns							
islands unicoms	lislands unicoms							
pics of unicorns	pics of unicorns							
planet of unicorns	planet of unicorns							
secret unicorns	secret unicorns							
unicorns 2014	unicorns 2014							
unicorns music	unicorns music							
black unicorns	black unicorns							
gounicorns	gounicorns							
history of unicoms	history of unicoms							
unicorns books	unicorns books							
unicorns pics	unicorns pics							
5K 10K 15K	0.00 0.02 0.04 0.06 0.08							
Avg Monthly Search Volume	1/rank							


Turning to the unicorn category this time, it's clear that Imaginary Creatures' current SEO strategy (or lack thereof) isn't delivering results. They are ranking strongly for terms with no traffic at all and are barely on the board for higher volume terms. This visualization will be a great benchmark to refer to in six months when the head of marketing wants to know whether the SEO efforts have paid off.

Ranking for the right keywords is the big payoff in an SEO strategy. But choosing keywords is difficult because it requires weighing so many factors: competitiveness, search volume, and conversion potential. It's up to an individual business to decide how much time and money they want to invest into developing their keyword strategy. For those whose budgets permit, by all means hire a specialist. But data

rank is a good metric for measuring the success of an SEO campaign. Keywords are listed in order of value, while the color represents the amount of competition. Bar length corresponds to search volume in the first column and current search rank in the second (longer bars indicate bicher rankings)

visualization allows even non-technical users to quickly and easily evaluate keywords across a range of different factors. At businesses where developing a thorough keyword strategy would otherwise have been prohibitively expensive, an afternoon spent analyzing freely available data with a tool like Tableau can now provide a solid and actionable understanding of the competitive search space.

Appendix A: Visualization of Long Tail Bigfoot Keywords



Appendix B: Visualization of Long Tail Unicorn Keywords

Unicorn Long Tail Keywords

Category Keywords 2 unicorns unicorns 3 unicorns blue unicorns books about unicorns can unicorns fly can unicorns fly charlie unicoms do unicorns exist group of unicoms information on unicoms more unicorns no unicorns no unicorns photos of unicoms pictures of unicorns riding unicoms riding unicoms robert vavra unicorns secret unicorns forum space unicorns space unicorns the land of unicorns the last unicorns the truth about unicorns the unicorns band three unicorns truth about unicorns two unicorns unicorns band unicorns com unicorns figurines unicorns forum unicorns game unicorns games unicorns la unicorns live unicorns mp3 unicorns of the vale unicorns online unicorns photos unicorns pic unicorns pic unicorns rock unicorns rock unicorns the clap unicorns wiki unicorns wikipedia unicorns youtube virtual unicorns water unicorns water unicorns what are unicorns where are unicorns where to find unicorns white unicorns world of unicorns www unicorns com young unicoms



ABOUT TABLEAU SOFTWARE

Access a trial copy of Tableau Software to dive deep into all types of data, quickly analyze campaign performance, conversion metrics, and easily determine ROI on marketing efforts at http://www.tableausoftware.com/products/trial

Tableau Software, Incorporated. All rights reserved. Tableau Software, the Tableau Software logo, and Visual tabases are either registered trademarks or trademarks of Tableau Software, Incorporated. Other company or may be the trademarks of their respective owners.